

## Ring Size Guide

Making an informed decision: Use the knowledge provided to determine your finger size.

### Confirming your Finger Size:

Your ring should fit snugly on your finger without any risk of it falling off; it should not feel too tight and not too loose. You do not want to be injuring yourself or applying too much pressure on the ring or your finger when putting it on or off. The ring should just be able to fit over the knuckle, which tends to be the knuckle.

It is an important factor to check your finger size several times; this could be done within a jewellery store or a simple check up at home. However, to receive a more precise and accurate measurement on what finger size you are, it is recommended you visit a professional jewellery centre. During warmer temperatures your fingers will swell up and the opposite happens during cool temperatures your fingers will be at their optimum size; that is the best time to check for accuracy. It is recommended that you check over your finger size on several occasions, to ensure that you get the most accurate size. Checking over your ring size different temperatures, will assure you that resizing is not going to be an issue.

### Consider the ring type

Were you aware that the wider a ring is the bigger size is needed? Bands that are wider than usual, approximately 6mm or more require a larger ring size. Thinner rings gives space for your skin to be moved around, which often leaves you with a 'ring mark' when taking off the ring. However, wider rings do not allow this to occur as more of the finger is covered with the band.

Keep in mind, that not all rings can be resized to your desirable size. This often occurs with rings that have a relatively complex setting. To illustrate this, fingers that is small in ring size need the size to be bought down, which may risk the setting. When decreasing size in a ring the bottom of the ring is being taken out, this can pull the setting down and create an opening at the top.

### Compose several checks:



Get your ring checked up regularly. Check them for wear and tear, analyse if there are any visible cracks in the band that may cause serious damage to the ring. It is always a good idea to examine your rings to ensure the ring is safe. If it gets to the point where the ring no longer fits your finger comfortably, it is time for a resize.

# Official Ziba & Co

## Ring Sizing

### Guide

Use the circles below to determine your ring size with a current ring that fits comfortably. Line the inside circumference of your band on the circles to get an idea of what size you may be.



Try this ring sizing tool, to help determine what ring size fits your finger best.

**Please ensure that you are printing at 100% when printing this page, to not allow the measurements to shrink in size.**

## International Ring Size

Inside Diameter		Sizes					
MM	Inches	British & Australian	US & Canada	French & Russian	German	Japanese	Swiss
14.65	<b>0.577</b>	<b>H</b>	<b>3 ¾</b>	<b>46 ½</b>	-	-	<b>6 ½</b>
14.86	<b>0.585</b>	<b>H ½</b>	<b>4</b>	-	<b>15</b>	<b>7</b>	-
15.04	<b>0.592</b>	<b>I</b>	<b>4 ¼</b>	<b>47 ¾</b>	-	-	<b>7 ¾</b>
15.27	<b>0.601</b>	<b>I ½</b>	<b>4 ½</b>	-	<b>15 ¼</b>	<b>8</b>	-
15.40	<b>0.606</b>	<b>J</b>	<b>4 5/8</b>	<b>49</b>	<b>15 ½</b>	-	<b>9</b>
15.70	<b>0.618</b>	<b>J ½</b>	<b>5</b>	-	<b>15 ¾</b>	<b>9</b>	-
15.80	<b>0.622</b>	<b>K</b>	<b>5 1/8</b>	<b>50</b>	-	-	<b>10</b>
16.00	<b>0.630</b>	<b>K ½</b>	<b>5 3/8</b>	-	-	<b>10</b>	-
16.10	<b>0.634</b>	<b>L</b>	<b>5 ½</b>	<b>51 ¾</b>	<b>16</b>	-	<b>11 ¾</b>
16.41	<b>0.646</b>	<b>L ½</b>	<b>5 7/8</b>	-	-	-	-
16.51	<b>0.650</b>	<b>M</b>	<b>6</b>	<b>52 ¾</b>	<b>16 ½</b>	<b>12</b>	<b>12 ¾</b>
16.71	<b>0.658</b>	<b>M ½</b>	<b>6 ¼</b>	-	-	-	-
16.92	<b>0.666</b>	<b>N</b>	<b>6 ½</b>	<b>54</b>	<b>17</b>	<b>13</b>	<b>14</b>
17.13	<b>0.674</b>	<b>N ½</b>	<b>6 ¾</b>	-	-	-	-
17.35	<b>0.683</b>	<b>O</b>	<b>7</b>	<b>55 ¼</b>	<b>14 ¼</b>	<b>14</b>	<b>15 ¼</b>
17.45	<b>0.687</b>	<b>O 1/2</b>	<b>7 ¼</b>	-	-	-	-
17.75	<b>0.699</b>	<b>P</b>	<b>7 ½</b>	<b>56 ½</b>	<b>17 ¾</b>	<b>15</b>	<b>16 ½</b>
17.97	<b>0.707</b>	<b>P 1/2</b>	<b>7 ¾</b>	-	-	-	-
18.19	<b>0.716</b>	<b>Q</b>	<b>8</b>	<b>57 ¾</b>	<b>18</b>	<b>16</b>	<b>17 ¾</b>
18.35	<b>0.722</b>	<b>Q 1/2</b>	<b>8 ¼</b>	-	-	-	-
18.61	<b>0.733</b>	<b>R</b>	<b>8 5/8</b>	<b>59</b>	-	-	<b>19</b>
18.80	<b>0.740</b>	<b>R 1/2</b>	<b>8 7/8</b>	-	-	-	-
19.10	<b>0.752</b>	<b>S</b>	<b>9 1/8</b>	<b>60 1/7</b>	-	-	<b>20 ¼</b>
19.31	<b>0.760</b>	<b>S 1/2</b>	<b>9 3/8</b>	-	-	-	-
19.51	<b>0.768</b>	<b>T</b>	<b>9 5/8</b>	<b>61 ½</b>	-	-	<b>21 ½</b>
19.84	<b>0.781</b>	<b>T 1/2</b>	<b>10</b>	-	<b>20</b>	<b>20</b>	-
20.02	<b>0.788</b>	<b>U</b>	<b>10 ¼</b>	<b>62 ¾</b>	-	<b>21</b>	<b>22 ¾</b>
20.20	<b>0.797</b>	<b>U 1/2</b>	<b>10 ½</b>	-	<b>20 ¼</b>	<b>22</b>	-
20.32	<b>0.800</b>	<b>V</b>	<b>10 5/8</b>	<b>63</b>	-	-	<b>23 ¾</b>
20.68	<b>0.814</b>	<b>V 1/2</b>	<b>11</b>	-	<b>20 ¾</b>	<b>23</b>	-
20.76	<b>0.817</b>	<b>W</b>	<b>11 1/8</b>	<b>65</b>	-	-	<b>25</b>
20.94	<b>0.824</b>	<b>W 1/2</b>	<b>11 3/8</b>	-	-	-	-
21.18	<b>0.834</b>	<b>X</b>	<b>11 5/8</b>	<b>66 ¼</b>	-	-	<b>26 ¼</b>
21.30	<b>0.839</b>	<b>X 1/2</b>	<b>11 7/8</b>	-	-	-	-
21.49	<b>0.846</b>	<b>Y</b>	<b>12</b>	<b>67 ½</b>	<b>21 ¼</b>	<b>25</b>	<b>27 ½</b>
21.69	<b>0.854</b>	<b>Y 1/2</b>	<b>12 ¼</b>	-	-	-	-
21.89	<b>0.862</b>	<b>Z</b>	<b>12 ½</b>	<b>68 ¾</b>	<b>21 ¾</b>	<b>26</b>	<b>28 ¾</b>
22.33	<b>0.879</b>	<b>Z + 1</b>	<b>13</b>	-	<b>22</b>	<b>27</b>	-
22.60	<b>0.890</b>	<b>Z + 1/2</b>	<b>13.5</b>	-	-	-	-
22.69	<b>0.893</b>	<b>Z + 2</b>	-	-	-	-	-
22.92	<b>0.902</b>	<b>Z + 2 1/2</b>	-	-	-	-	-
23.06	<b>0.908</b>	<b>Z + 3</b>	-	-	-	-	-
23.24	<b>0.915</b>	<b>Z + 3 1/2</b>	-	-	-	-	-